

ACP-9000

Auto Chart Projector

Innovative new technology for human's healthy eyes



CE

FDA

 **GERIX**

ACP-9000



> Clear image

ACP-9000 provides clear and sharp image with higher solution

> Rapid chart change

Rapid and exact chart change provides user with easy and accurate measurement



Chart projector provides convenient and effective measurement with sharp and clear projection



> Wide range of measurement function

With various charts like Red/Green polarizing filter, polarizing chart and Maddox Rod for heterophoria, ACP-9000 offers higher reliability for vision test

> Effective, automatic total vision system

Various and exact results can be obtained since ACP-9000 is compatible with Phropter easily

> Various control method

User can change the chart with Phropter (Auto Refractor).
The remote control system is helpful to change the chart

> Compact design

With compact and light design, user can put it even in very narrow space

> Optotypes



A TYPE

0.05 E	0.05 3	0.1 WEM 0.15 WE	0.1 Car	0.1 Star
0.1 AFN 0.15 HDR	0.1 3 2 7 0.15 9 4 8	0.2 EMEWE 0.3 MEWE 0.4 WEWE	0.2 Car	0.2 Star
0.2 AZTDE 0.3 KHOLF 0.4 LDVKA	0.2 6 4 9 7 3 0.3 3 7 0 5 4 0.4 8 4 2 6 9	0.5 EWEWE 0.6 MEWE 0.7 WEWE	0.5 Car	0.5 Star
0.5 CEOAZ 0.6 VALFT 0.7 EOFND	0.5 5 0 9 8 7 0.6 3 7 5 0 4 0.7 9 2 4 0 6	0.8 WEWE 0.9 MEWE 1.0 WEWE	0.8 Car	0.8 Star
0.8 DKHVC 0.9 CNFKZ 1.0 AOLFT	0.8 8 3 5 9 4 0.9 4 7 0 5 3 1.0 2 5 6 4 8	1.0 WEWE 1.2 MEWE 1.5 WEWE	1.0 Car	1.0 Star
1.0 EZFKL 1.2 NCLOA 1.5 FAETD	1.0 5 6 2 4 8 1.2 7 3 5 8 2 1.5 2 8 3 9 7	63892 82639	1.5 Car	1.5 Star
•	5 3 3 8 380 083	•	•	•

B TYPE

400 E	400 3	200 WEM 150 WE	200 Car	200 Star
200 AFN 150 HDR	200 3 2 7 150 9 4 8	100 EMEWE 70 MEWE 50 WEWE	100 Car	100 Star
100 AZTDE 70 KHOLF 50 LDVKA	100 6 4 9 7 3 70 3 7 0 5 4 50 8 4 2 6 9	40 EWEWE 33 MEWE 30 WEWE	40 Car	40 Star
40 CEOAZ 33 VALFT 30 EOFND	40 5 0 9 8 7 33 3 7 5 0 4 30 9 2 4 0 6	25 WEWE 22 MEWE 20 WEWE	25 Car	25 Star
25 DKHVC 22 CNFKZ 20 AOLFT	25 8 3 5 9 4 22 4 7 0 5 3 20 2 5 6 4 8	20 WEWE 17 MEWE 13 WEWE	20 Car	20 Star
20 EZFKL 17 NCLOA 13 FAETD	20 5 6 2 4 8 17 7 3 5 8 2 13 2 8 3 9 7	63892 82639	13 Car	13 Star
•	5 3 3 8 380 083	•	•	•

SPECIFICATIONS

Optical Information

Projection Distance	1.5 ~ 10m
Projection Magnification	30 °× (in 5m refraction)
Number of Chart	33
Chart Rotation Speed	Average : 0.2 sec / 1 frame
Mask & Filter	Open 1, Horizon line 5, Vertical line 5, Single isolation 15, Red/Green 1
Dimension & Weight	197(W) X 335(D) X 163(H) (mm), 5.6kg 195(W) X 64(D) X 20(H) (mm), 0.16kg (Remote Controller)
Lamp	LED Lamp
Power	AC 110~240V / 50/60Hz
Power Consumption	60W
Power Saving	5 min
Tilt Angle	±20°
Accessories	Remote Control / Power Cable / Dust Cover / Battery / Fuse / Table Stand/ Screen / Manual
Optional Accessories	Wall Mount Bracket / RS-232C (Interface) / Unit Adaptor / Red-Green Filter / Polarized Filter

※ Designs and details can be changed for its improvements without prior notice.



Head Office : 2nd Floor, 117, Donggucheong-ro, Dong-gu, Daejeon, Korea
T. : +82-70-4820-3003 F. : +82-70-4820-3001
Homepage : www.gerix.kr E-mail : sales@gerix.kr